



### NAB Black Streak and Tire Mark Remover

More product information can be found on our website at:

[www.northamericanbio.com](http://www.northamericanbio.com)

North American Bioindustries, LLC  
746 N. 109<sup>th</sup> St.  
Milwaukee, WI 53226

PHONE: 414-778-1490  
FAX: 414-778-1492  
TOLL FREE: 888-760-8649

MSDS#: 80010  
Date Prepared: 6/28/2004  
Revision Date: 11/13/2012

#### Section I: Product Information

Trade Name: NAB BLACK STREAK & TIRE MARK REMOVER  
Chemical Name and Synonyms: NAB  
C.A.S. Registry Number: N/A  
D.O.T. Proper Shipping Name: Non-Hazardous Liquid  
D.O.T. Hazard Class: Non-Hazardous

Chemical Family: Water Based Cleaner  
Formula: Proprietary Blend  
D.O.T. Label: N/A  
D.O.T. Identification NO.: N/A

#### Section II: Physical Data

Specific Gravity: 1.07  
Freezing Point: 32°F  
Boiling Point: 212°F  
Vapor Pressure: N/A  
Appearance & Odor: Clear Liquid with Slight Medicinal Odor

Finished Product Weight: 8.71 lbs/gal  
pH: 12.7  
Solubility in Water: Complete  
Evaporation Rate: As Water  
Percent Volatile (wt.%): N/D

#### Section III: Ingredients

Chemical Name:	CAS#	Wt%	TLV Level	PEL Level
Water	7732-18-5	60-100	N/A	N/A
2-Butoxyethanol	111-76-2	2-6	20ppm	50ppm
Sodium Metasilicate	6834-92-0	1-5	N/A	N/A

Sara Hazard: Title III: Contains Glycol Ether listed at <6% by weight

#### Section IV: Fire and Explosion Data

Flashpoint: 212°F  
Extinguishing Media: Dry chemical powder, water spray, foam, carbon dioxide

Special Fire Fighting Procedures:

Unusual Explosion Hazards:

#### Section V: Reactivity Data:

Stability:	Stable
Incompatibility:	Strong alkalis, strong oxidizers, acids, strong reducers
Hazardous Decomposition Products:	Burning can produce carbon monoxide and/or carbon dioxide.
Hazardous Polymerization:	May occur
Conditions to Avoid:	N/A

## NAB Black Streak and Tire Mark Remover

More product information can be found on our website at:  
[www.northamericanbio.com](http://www.northamericanbio.com)

### Section VI: Spill/Leak and Disposal Procedures

Do not walk through spilled material. Dike area to prevent run-off. Dispose in accordance with local, state, and federal regulations. Volatile Organic Compound (VOC): <6%

### Section VII: Health Data

Threshold Limit Value: Not established by OSHA.  
Effects of Overexposure  
Eye Contact: Avoid eye contact. May cause slight irritation if contact occurs.  
Skin Contact: May cause slight irritation or dryness if contact occurs.  
Inhalation: Vapor mist may cause irritation of the respiratory tract.

Ingestion: May cause abdominal discomfort, nausea, or vomiting.

#### Emergency First Aid Procedures

Eye Contact: Flush eyes thoroughly with plenty of water. Hold lids open while flushing.  
If irritation persists, contact a physician.

Skin Protection: Flush area thoroughly with fresh water. If irritation persists, contact a physician.

Inhalation: Remove affected person to fresh air. If breathing is difficult, call a physician.

Ingestion: Call a physician.

### Section VIII: Special Protection Information

Eye Protection: Safety glasses/goggles or glasses with a face shield

Skin Protection: For sensitive skin, use rubber gloves

Respiratory Protection: Use in well-ventilated areas

Other Protective Equipment: N/A

### Section IX: Special Precautions

Storage Handling Precautions: Store in cool, dry area. Keep out of direct sunlight. Do not store near flames or other heat sources. Keep containers tightly closed. Make sure all containers are labeled properly. Read and understand the MSDS before using any chemical product. For industrial and commercial use only.

Other Precautions: Avoid prolonged eye and skin contact. Avoid breathing vapors. Do not swallow.  
Wash hands thoroughly after handling.

### Section X: Supplemental Health Information

Carcinogen Content: This product does not contain greater than 0.1% of the known or potential carcinogens in NTP, IARC, or OSHA.

California Proposition 65: Not regulated.